

# Delock Audio Adapter USB Type-C<sup>™</sup> Stecker zu 2.5 mm 4 Pin Klinkenbuchse 11 cm

#### Description

This audio adapter by Delock enables the connection of a device or headset with a 2.5 mm 4 pin stereo jack male connector e.g. to a mobile phone with USB Type-C<sup>TM</sup> port.

#### Chipset CX21988

The CX21988 chipset supports high-resolution audio with superior headphone performance and features extremely low distortion and tuning options to significantly improve the performance of the connected converters.

#### **5N PCOCC Silver Plated Cable**

The 5N PCOCC Silver Plated Cable supports higher transmission efficiency than copper and therefore offers the advantages of a very fast, crystal clear signal transmission as well as a lower electrical resistance. At the same time, the cable is very flexible and durable. Silver plated cables are especially used for high-end audio and video applications. Hind Hard

11 cm

#### Item no. 66305

EAN: 4043619663057 Country of origin: China Package: Zip poly bag

## Specification

Connectors:

1 x USB Type-C<sup>™</sup> male >

- 1 x 2.5 mm 4 pin stereo jack female
- Chipset: CX21988
- High-Res audio support
- Audio replay up to 24 Bit / 96 kHz
- Cable gauge: 26 AWG
- Length incl. connectors: ca. 11 cm

#### System requirements

• Device with a free USB Type-C<sup>™</sup> port

## **DATASHEET**



• Device or headset with a 2.5 mm 4 pin stereo jack male

### Package content

• Audio adapter





#### Interface

| connector:   | 1 x USB Type-C™ male                |
|--------------|-------------------------------------|
| Connector 1: | 1 x 2.5 mm 4 pin stereo jack female |

### **Technical characteristics**

| Chipset: | CX21988 |
|----------|---------|
|          |         |

## **Physical characteristics**

| Cable length incl. connector: | 11 cm  |
|-------------------------------|--------|
| Conductor gauge:              | 26 AWG |