

Delock Adapter D-Sub 9 pin female to Terminal Block 9 pin with Push Button

Description

This terminal block adapter by Delock can be used to connect bare wires. Thus the adapter is not only convenient for special industry applications, but also for the hobby area, e.g. railway modelling.



Item no. 66322

EAN: 4043619663224

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x serial D-Sub 9 female with screws
 - 1 x 9 pin terminal block with push button
- Pin assignment: 1:1
- Pitch: 2.54 mm
- Useable for a cable gauge from 26 to 20 AWG
- Operating temperature: -20 °C ~ 70 °C
- Dimensions (LxWxH): ca. 36 x 31 x 17 mm


System requirements

- A free D-Sub 9 pin male

Package content

- Adapter

Images



Interface

| | |
|--------------|---|
| Connector 1: | 1 x serial D-Sub 9 female with screws |
| Connector 2: | 1 x 9 pin terminal block with push-button |

Technical characteristics

| | |
|------------------------|----------------|
| Operating temperature: | -20 °C ~ 70 °C |
|------------------------|----------------|

Physical characteristics

| | |
|------------------|-------------|
| Pitch distance: | 2.54 mm |
| Conductor gauge: | 26 - 20 AWG |
| Length: | 36 mm |
| Width: | 31 mm |
| Height: | 17 mm |