

Delock USB 2.0 to serial RS-232 adapter D-Sub 9 male with compact connector housing 50 cm FTDI

Description

This USB 2.0 Type-A to serial adapter by Delock provides an RS-232 port for meters, POS systems, printers, modems, IoT devices, etc.

User-friendly RS-232 plug

The RS-232 connector is characterized by its small dimensions (39.0 x 33.0 x 14.7 mm) and provides a pleasant handling at device connections, cable glands, patch panels, etc.



Item no. 66461

EAN: 4043619664610

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x USB 2.0 Type-A male
 - 1 x serial RS-232 DB9 male with screws
- Chipset: FTDI FT232R
- Data transfer rate up to 921.6 Kbps
- Signals: TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND
- Parity: even, odd, none, mark, space
- Stop bits: 1, 2
- Databits: 7, 8
- Flow control: none, Xon / Xoff, RTS / CTS
- FIFO: 128 Byte - RX
- FIFO: 256 Byte - TX
- Cable length incl. connectors: ca. 50 cm

System requirements

- Chrome OS
- Linux Kernel 5.15 or above
- Mac OS 12.4 or above
- Windows 10/10-64/11
- PC or laptop with a free USB Type-A port

Package content

- USB 2.0 to 1 x serial adapter
- User manual

Images



General

| | |
|-----------------------------|---|
| Function: | Plug & Play |
| Specification: | RS-232 (EIA / TIA) USB 2.0 |
| Supported operating system: | Linux Kernel 2.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11 |

Interface

| | |
|--------------|----------------------------|
| Connector 1: | 1 x USB 2.0 Type-A male |
| Connector 2: | 1 x Serial RS-232 DB9 male |

Technical characteristics

| | |
|---------------------|--------------------------------|
| Chipset: | FTDI 232R |
| Data transfer rate: | 921.6 Kbps |
| FIFO: | 128 byte 256 Byte |
| Data transmission: | asynchronous Bi-directional |
| UART: | USB to serial UART |

Physical characteristics

| | |
|--------------------------------|-------------|
| Cable length incl. connectors: | 50 cm |
| Pin finishing: | gold-plated |
| Shielding: | double |
| Colour: | black |

Manufacturer information

| | |
|-------------|-------------------|
| Street | Beeskowdamm 13/15 |
| Postal code | 14167 |
| City | Berlin |
| Country | Deutschland |
| E-Mail | info@delock.de |
| Website | www.delock.de |