

# Delock Audio Splitter USB Type-C™ to 2 x stereo jack female metal

## Description

This Audio Splitter by Delock allows the connection of two audio output devices, such as headphones or speakers, to a device with a USB Type-C™ or Thunderbolt™ 3 socket. The audio signal is transmitted in stereo to both output devices, e.g. two people can listen to the same music at the same time.

### Digital Hi-Res Audio

Thanks to the integrated chipset, the audio signals are transmitted in crystal-clear Hi-Res sound quality.

### Note

The USB Type-C™ interface of the device has to support the output of audio signals (USB ADC specification).



**Item no. 66564**

EAN: 4043619665648

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - 1 x USB Type-C™ male >
  - 2 x 3.5 mm 3 pin stereo jack female
- Chipset: Realtek ALC4042
- USB 2.0 specification
- USB Audio Device Class 1.0 / 2.0 specification
- Supports Digital Hi-Res Audio
- Signal-to-noise ratio (SNR): ca. 98 dB
- Frequency range: 20 Hz - 40 kHz
- Supported sample rates: 16 / 24 / 32 Bit, 44.1 / 48 / 96 / 192 / 384 kHz  
(depending on the system and the connected hardware)
- Housing material: aluminium
- Contacts gold-plated
- Colour: black / silver-grey
- Dimensions (LxWxH): ca. 36 x 30 x 9 mm
- Cable length without connectors: ca. 15 cm
- Plug & Play

---

## System requirements

- Android 6.0 or above
- iOS 13.4.1 or above
- Linux Kernel 4.3 or above
- Mac OS 10.15.2 or above
- Windows 10/10-64
- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port

---

## Package content

- Audio adapter

---

## Images



## General

Specification:	USB 2.0 USB Audio Device Class 1.0 USB Audio Device Class 2.0
Supported operating system:	Android 6.0 or above Linux Kernel 4.3 or above Mac OS 10.15.2 or above Windows 10 32-Bit Windows 10 64-Bit iOS 13.4.1 or above

## Interface

Connector 1:	1 x USB 2.0 Type-C male
Connector 2:	2 x 3.5 mm 3 pin stereo jack female

## Technical characteristics

Chipset:	Realtek ALC4042
Sample rate:	16 / 24 / 32 Bit, 44,1 / 48 / 96 / 192 / 384 kHz
Signal noise ratio (SNR):	98 dB

## Physical characteristics

Housing material:	Aluminium
Cable length:	15 cm
Pin finishing:	gold-plated
Length:	36 mm
Width:	30 mm
Height:	9 mm
Colour:	black / silver-grey