

Delock 5 in 1 USB Data and Charging Cable and Adapter Set PD 3.0 60 W white

Description

This USB data charging cable set by Delock with various adapters is suitable for transferring data and charging mobile devices such as smartphones, tablets etc. with Lightning™, Micro USB-B or USB Type-C™ connection via a USB-A or USB Type-C™ interface. Thus, the set is individually usable for a **wide range of applications**. An additional compartment for a SIM card as well as an ejection tool are also available.



Item no. 66612

EAN: 4043619666126

Country of origin: China

Package: Retail Box

Useful companion

The set is the ideal companion for on the road, e.g. on business trips or on holiday, as it combines the **three most common connection** options for current mobile devices in a small, handy storage box. This avoids annoying cable clutter and unnecessary carrying around of countless cables.

Technical details

- Connectors:
 - Coiled Cable: 2 x USB 2.0 USB Type-C™ male
 - Adapter USB 2.0 USB Type-C™ female to 8 pin Apple Lightning™ male
 - Adapter USB 2.0 USB Type-C™ female to USB Type Micro-B male
 - Adapter USB 2.0 USB Type-C™ female to USB Type-A male (Host)
- Data transfer rate up to 480 Mbps
- USB Power Delivery (USB PD 3.0) support up to 60 watt
- Maximum output current:
 - USB Type-C™: 3 A
 - USB Type Micro-B: 2.4 A
 - Lightning™: 2 A
- Voltage: max. 20 V
- Colour: white
- Cable length incl. connectors: ca. 10 - 25 cm
- Dimensions Box:
 - Diameter ca. 65 mm
 - Height ca. 20 mm

System requirements

- A free USB Type-A or USB Type-C™ port

Package content

- Storage box with strap
- USB Type-C™ coiled cable
- 3 x adapter
- 1 x ejection tool

Images



Technical characteristics

Operating voltage:	20.0 V
Data transfer rate:	480 Mbps
Current consumption:	3 A

Physical characteristics

Housing colour:	white transparent
Cable length incl. connectors:	10 cm
Diameter:	65 mm
Height:	20 mm

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de