

Delock DisplayPort 1.2 Adapter male to female port saver with pin 20

Description

This DisplayPort adapter by Delock can be used for the connection of DisplayPort devices. It can be also connected to a free DisplayPort port in order to prevent the interface from damage when it is under usage for high contact durability. By connecting pin 20 a voltage transmission of 3.3 V is supported.



Item no. 66639

EAN: 4043619666393

Country of origin: China

Package: Zip poly bag

Specification

- Connectors:
 - 1 x DisplayPort 20 pin male >
 - 1 x DisplayPort 20 pin female
- Pin 20 is connected (supports 3.3 V)
- DisplayPort 1.2 specification
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Colour: black
- Dimensions (LxWxH): ca. 62 x 23 x 12 mm

System requirements

- A free DisplayPort connector

Package content

- Adapter

General

Specification:	DisplayPort 1.2
----------------	-----------------

Interface

Connector 1:	1 x DisplayPort male
Connector 2:	1 x DisplayPort female

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz 7680 x 4320 @ 30 Hz
----------------------------	--

Physical characteristics

Housing colour:	black
Material:	Plastic
Length:	62 mm
Width:	23 mm
Height:	12 mm