

Delock Professional Computer Podcasting Microphone with XLR connector and 3 pin stereo jack male + adapter cable for Smartphone and Tablet

Description

This professional condenser microphone by Delock can be used for high-quality voice and vocal recordings.

Optimal recordings

The microphone has a high-quality **16 mm condenser chip** and a **cardioid polar pattern (unidirectional)** and therefore ideally captures the sound. Due to high power, low self-noise and precise performance, even the finest sounds are recorded crystal clear.

Good windscreen

Due to the included windscreen, the recording quality is further optimized. Disturbing wind noises are optimally filtered.

Multifunctional application

It can be connected to any PC or laptop via the **detachable XLR to 3 pin stereo jack cable**. With the **included 4 pin Y-adapter cable**, it can also be connected to a tablet or smartphone.

Stable & non-slip stand

The metal stand with rubber feet ensures that the microphone stands stable on the table. The microphone holder can be adjusted in a 180° angle as required. The table stand can be easily folded and transported when needed.



Specification

- Connector: 1 x XLR plug
- Cable:
 - 1 x XLR jack >
 - 1 x 3.5 mm 3 pin stereo jack male
- Y-Adapter:
 - 1 x 3.5 mm 4 pin stereo jack male (CTIA standard) >
 - 1 x 3.5 mm 3 pin stereo jack female microphone
 - 1 x 3.5 mm 3 pin stereo jack female headset
- Directivity: unidirectional
- Sensitivity: -38 dB +/- 3 dB
- Frequency range: 30 Hz - 16 kHz
- Signal-to-noise ratio (SNR): ca. 70 dB
- Self-Noise: max. 16 dBA
- Sound pressure level (SPL): max. 120 dB
- Cable length: ca. 2.5 m
- Colour: black
- Voltage: 1.5 V

System requirements

- A free stereo port 3.5 mm

Package content

- XLR microphone
- XLR to stereo jack cable
- Y-adapter cable
- Windscreen

Item no. 66640


EAN: 4043619666409

Country of origin: China

Package: Retail Box

- Microphone holder
- Table stand

Images



Interface	
connector:	1 x XLR Male
Connector 1:	1 x XLR female
Connector 2:	1 x 3.5 mm 3 pin stereo jack male
Technical characteristics	
Frequency range:	30 Hz - 16 kHz
Voltage:	1,5 V
Sensibility:	-38 dB +/- 3 dB
Signal noise ratio (SNR):	ca. 70 dB
Directivity:	uni-directional
Physical characteristics	
Housing material:	metal
Cable length:	2.5 m
Colour:	black