

Delock HDMI Adapter male to female 8K 60 Hz magnetic

Description

This magnetic adapter by Delock can be used for connecting HDMI devices. The adapter can also be used as a port saver to protect the interface in applications with high contact durability. The adapter is designed to remain inside the port of the device and avoid the deterioration of the interface as well as act as dust protection.

Magnetic function

When using the adapter, the cable can be connected to the counterpart of the adapter, the counterpart then connects magnetically to the remaining part in the device. The solid magnetic force supports a secure HDMI connection.

Quality

Optically and qualitatively the adapter convinces by its elegant aluminium housing, which makes it very robust, light weight and durable. The spring contacts (Pogo pins) guarantee a high functional reliability with a very high contact durability.

Note

The connection can be disconnected if the cable is subject to strong tensile stress.



Item no. 66684

EAN: 4043619666843

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x HDMI-A male > 20 Pogo pin
 - 1 x HDMI-A female > 20 Pogo pin
- Transmission of audio and video signals
- Resolution up to 7680 x 4320 @ 60 Hz (depending on the system and the connected hardware)
- Supports HDR
- Supports HDCP
- Material: aluminium

- Dimension: 3.2 x 2.0 x 1.0 cm (L/W/H) without connector
- Colour: anthracite

System requirements

- A free HDMI female port

Package content

- Adapter

Images



Pogo Pin



Interface

| | |
|--------------|-------------------|
| Connector 1: | 1 x HDMI-A male |
| Connector 2: | 1 x HDMI-A female |

Technical characteristics

| | |
|----------------------------|--|
| Maximum screen resolution: | 3840 x 2160 @ 60 Hz 7680 x 4320 @ 30 Hz |
|----------------------------|--|

Physical characteristics

| | |
|----------------|-------------|
| Pin finishing: | gold-plated |
| Length: | 32 mm |
| Width: | 21 mm |
| Height: | 10 mm |
| Colour: | anthracite |