



# Delock D-Sub 9 pin female to RJ12 6P/6C female Assembly Kit

## **Description**

This adapter by Delock expands a serial D-Sub 9 interface via an ISDN, telephone or RJ12 cable. The D-Sub 9 interface can be assigned individually and flexibly. The contacts of the adapter can be inserted into the D-Sub 9 housing according to the desired requirements. With a slight click, the sockets snap into place and provide reliable contact.



#### Item no. 66759

EAN: 4043619667598 Country of origin: China Package: Zip poly bag

#### Specification

- · Connectors:
- 1 x serial D-Sub 9 pin female
- 1 x RJ12 jack
- RJ12 interface assigned with 6 pins, serial interface individually assignable
- · Serial female port with screws
- · Colour: grey
- Dimensions (LxWxH): ca. 52 x 34 x 16 mm

#### System requirements

• A free D-Sub 9 pin male

#### Package content

Adapter



# **Images**



| PIN | Farbe / Colour                      |
|-----|-------------------------------------|
| 1   | <ul> <li>Blau / Blue</li> </ul>     |
| 2   | Gelb / Yellow                       |
| 3   | <ul> <li>Grün / Green</li> </ul>    |
| 4   | Rot / Red                           |
| 5   | <ul> <li>Schwarz / Black</li> </ul> |
| 6   | ○ Weiß / White                      |





#### General

| 0.1    |  |  |
|--------|--|--|
| Style: | Adapter  |  |
|        | farman and the second s |  |

## Interface

| Connector 1: | 1 x RJ12 6P/6C jack                   |
|--------------|---------------------------------------|
| Connector 2: | 1 x serial Sub-D 9 female with screws |

# **Physical characteristics**

| Housing colour:     | grey      |
|---------------------|-----------|
| Conductor material: | copper    |
| Conductor gauge:    | 26 AWG    |
| Screw type:         | #4-40 UNC |
| Material:           | ABS       |
| Length:             | 52 mm     |
| Width:              | 34 mm     |
| Height:             | 16 mm     |