

Delock M8 A-coded 4 pin Cable male to female PUR (TPU) 2 m

Description

This industrial Ethernet cable by Delock can be used to connect various components with M8 connectors, e.g. for machine control or automation.

Durable TPU cable jacket

The material of the cable jacket makes the cable flexible and durable.

The cable is oil and UV resistant and meets the high requirements for industrial applications.



2 m

Item no. 80143

EAN: 4043619801435

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x M8 A-coded 4 pin male
 - 1 x M8 A-coded 4 pin female
- Pin assignment: 1:1
- Unshielded
- Copper cable
- Cable gauge: 24 AWG
- Cable diameter: ca. 5 mm
- Cable jacket material: PUR (TPU)
- Max. number of bending cycles: >100
- UV-resistant
- Operating temperature: -25 °C ~ 80 °C
- Protection class: IP67
- Colour: black
- Length incl. connectors: ca. 2 m

System requirements

- A free M8 female port

Package content

- Patch cable

Images



General

Protection class:	IP67
-------------------	------

Interface

Connector 1:	1 x M8 male
Connector 2:	1 x M8 female

Technical characteristics

Operating temperature:	-25 °C ~ 85 °C
------------------------	----------------

Physical characteristics

Cable gauge:	24 AWG
Length:	1 m

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de