

RJ45 Network Cable with double bend protection Cat.6A UTP Slim 0.5 m black

Description


This network cable by Delock can be used to connect different networking devices, e.g. a NIC to a switch or a patch panel.

Slim patch cable

The thin patch cables are characterised by their small cable diameter and enable flexible and space-saving cabling in the network cabinet.

Additional protection through bend protection

Due to the dual spring protect strain relief, the cable is secured and protected from excessive bending.



Item no. 80388

EAN: 4043619803880

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x RJ45 plug
 - 1 x RJ45 plug
- Cat.6A specification
- Data transfer rate up to 10 Gbps
- Bandwidth: 500 MHz
- Up to 2,000 bending cycles
- UTP
- Slim
- Dual spring protect strain relief
- Cable gauge: 30 AWG
- Contacts gold-plated: 50 µm
- Cable diameter: ca. 3.0 mm
- Cable jacket material: LSZH (halogen-free)
- Colour: black
- Length: ca. 0.5 m

System requirements

- A free RJ45 jack

Package content

- RJ45 cable

Images



General

Specification:	Cat. 6A
Style:	both sides identical

Interface

Connector 1:	1 x RJ45 male
Connector 2:	1 x RJ45 male

Physical characteristics

Cable gauge:	30 AWG
Material:	LSZH (halogen-free)
Shielding:	U/UTP
Length:	0.5 m
Colour:	black
Cable diameter:	3 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

