

Delock RJ45 Network Cable with double bend protection Cat.6A UTP Slim 3 m black

Description


This network cable by Delock can be used to connect different networking devices, e.g. a NIC to a switch or a patch panel.

Slim patch cable

The thin patch cables are characterised by their small cable diameter and enable flexible and space-saving cabling in the network cabinet.

Additional protection through bend protection

Due to the dual spring protect strain relief, the cable is secured and protected from excessive bending.



3 m

Item no. 80391

EAN: 4043619803910

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x RJ45 plug
 - 1 x RJ45 plug
- Cat.6A specification
- Data transfer rate up to 10 Gbps
- Bandwidth: 500 MHz
- Up to 2,000 bending cycles
- UTP
- Slim
- Dual spring protect strain relief
- Cable gauge: 30 AWG
- Contacts gold-plated: 50 µm
- Cable diameter: ca. 3.0 mm
- Cable jacket material: LSZH (halogen-free)
- Colour: black
- Length: ca. 3 m

System requirements

- A free RJ45 jack
-

Package content

- RJ45 cable
-

Images



General

| | |
|----------------|---------|
| Specification: | Cat. 6A |
|----------------|---------|

Interface

| | |
|--------------|---------------|
| Connector 1: | 1 x RJ45 male |
| Connector 2: | 1 x RJ45 male |

Physical characteristics

| | |
|------------------|---------------------|
| Conductor gauge: | 30 AWG |
| Material: | LSZH (halogen-free) |
| Shielding: | U/UTP |
| Length: | 3 m |
| Colour: | black |
| Cable diameter: | 3 mm |