

# Delock Slot bracket 1 x USB 5 Gbps pin header female 90° angled to 2 x USB 5 Gbps Type-A female 50 cm

#### Description

This slot bracket by Delock expands the PC by two USB 5 Gbps Type-A female ports. The cable of the slot bracket can be connected internally to the motherboard with a 19 pin USB 5 Gbps pin header male. Thus, the internal connection will be lead outside, in order to connect devices with USB Type-A connector to the computer.



50 cm

#### Item no. 83015

EAN: 4043619830152 Country of origin: China Package: Zip poly bag

#### **Special features**

• With inner metal thread

#### **Specification**

- Connectors:
  - 1 x 19 pin USB 5 Gbps pin header female 90  $^{\circ}$  angled
  - 2 x USB 5 Gbps Type-A female
- Data transfer rate up to 5 Gbps
- Screw type: #4-40 UNC
- Pitch of screw hole: ca. 48 mm
- Cable gauge:
  - 28 AWG data line
  - 24 AWG power line
- Cable diameter: ca. 5.8 mm
- Cable jacket material: PVC
- · Colour: black
- · Length: ca. 50 cm





# System requirements

- PC with one free slot
- Motherboard with a free 19 pin USB 5 Gbps pin header male

# **Package content**

Slot bracket

# **Images**





# Interface

Connector 1:	1 x 19 pin USB 5 Gbps pin header female 90° angled
Connector 2:	2 x USB 5 Gbps Type-A female

### **Technical characteristics**

a transfer rate:
------------------

# **Physical characteristics**

Conductor gauge:	28 - 24 AWG
Material:	PVC
Length:	50 cm
Colour:	black
Cable diameter:	5.8 mm