**DELOCK®**

we move the world

# Delock Cable Twinax SFP+ male to SFP+ male 1 m

## Description

This Twinax cable by Delock is used to connect devices to a switch with a SFP+ port or to connect two Ethernet switches.

1 m

### Item no. 84200

EAN: 4043619842001

Country of origin: China

Package: Antistatic cover

## Specification

- Connectors:
  2 x SFP+ male
- Passive, low power consumption
- Data transfer rate:
  Gigabit Ethernet up to 1 Gbps
  10 Gigabit Ethernet up to 10 Gbps
- Compatible with SFP+ MSA, SFF-8431, SFF-8432
- Operating temperature: 0 °C ~ 70 °C
- Cable gauge: 30 AWG
- Colour: black
- Cable diameter: ca. 4.0 mm
- Cable length: ca. 1 m

## System requirements

- A free SFP+ interface

## Package content

• Twinax Cable

## Images

## Interface

| | |
|---|---|
| Connector 1: | 1 x SFP+ male |
| Connector 2: | 1 x SFP+ male |

## Technical characteristics

| | |
|---|---|
| Data transfer rate: | Gigabit Ethernet up to 1 Gbps<br>Gigabit Ethernet up to 10 Gbps |
| Operating temperature: | 0 °C ~ 70 °C |

## Physical characteristics

| | |
|---|---|
| Conductor gauge: | 30 AWG |
| Length: | 1 m |
| Colour: | black |