

Delock Cable SATA 6 Gb/s 7 pin receptacle + Molex 4 pin power plug > SATA 22 pin receptacle downwards angled metal 30 cm

Description

This cable by Delock enables the connection of a device with 22 pin SATA interface over a free SATA 7 port and a free 4 pin Molex power interface of the power supply. The metal clips on the SATA receptacles ensure that the cable reliably clicks into place.



30 cm

Item no. 85231

EAN: 4043619852314 Country of origin: China Package: Zip poly bag

Specification

- Connectors:
 1 x SATA 6 Gb/s 7 pin receptacle + 1 x Molex 4 pin power plug >
 1 x SATA 6 Gb/s 22 pin receptacle downwards angled
- Data transfer rate up to 6 Gb/s
- Downwards compatible to SATA 1.5 Gb/s and 3 Gb/s
- Voltage: 5 V + 12 V
- Cable gauge:
 26 AWG data line
 18 AWG power line
- Length incl. connectors: ca. 30 cm

System requirements

- A free SATA 7 pin interface
- A free Molex power female






Package content

• SATA cable

Images





General

Specification:	SATA 6 Gb/s
Interface	
Connector 1:	1 x SATA 6 Gb/s 7 pin receptacle
Connector 2:	1 x Molex 4 pin male
connector 3:	1 x SATA 6 Gb/s 22 pin receptacle

Technical characteristics

Data transfer rate:	6 Gb/s
Voltage:	5 V 12 V

Physical characteristics

Conductor gauge:	26 AWG data line 20 AWG power line
Length:	30 cm