

Delock Cable SATA 6 Gb/s 7 pin receptacle + SATA 15 pin power plug > SATA 22 pin receptacle upwards angled metal 30 cm

Description

This cable by Delock enables the connection of a device with 22 pin SATA interface over a free SATA 7 pin port and a free 15 pin SATA power interface of the power supply. The metal clips on the SATA receptacles ensure that the cable reliably clicks into place.



Item no. 85515

EAN: 4043619855155

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x SATA 6 Gb/s 7 pin receptacle +
 - 1 x SATA 15 pin power plug >
 - 1 x SATA 6 Gb/s 22 pin receptacle upwards angled
- Data transfer rate up to 6 Gb/s
- Downwards compatible to SATA 1.5 Gb/s and 3 Gb/s
- Version with 5 power wires (yellow = 12 V, black = GND, red = 5 V, orange = 3.3 V)
- Voltage: 3.3 V + 5 V + 12 V
- Cable gauge:
 - 26 AWG data line
 - 20 AWG power line
- With gold coloured metal clips
- Length incl. connectors: ca. 30 cm

System requirements

- A free SATA 7 pin interface
- A free SATA 15 pin power receptacle on the power supply

Package content

- SATA cable

Images



General

| | |
|----------------|-------------|
| Specification: | SATA 6 Gb/s |
|----------------|-------------|

Interface

| | |
|--------------|-----------------------------------|
| Connector 1: | 1 x SATA 6 Gb/s 7 pin receptacle |
| Connector 2: | 1 x SATA 15 pin plug |
| Connector 3: | 1 x SATA 6 Gb/s 22 pin receptacle |

Technical characteristics

| | |
|---------------------|----------------------|
| Data transfer rate: | 6 Gb/s |
| Voltage: | 3.3 V 5 V 12 V |

Physical characteristics

| | |
|--------------|---------------------------------------|
| Cable gauge: | 26 AWG data line 20 AWG power line |
| Length: | 30 cm |

Manufacturer information

| | |
|-------------|-------------------|
| Street | Beeskowdamm 13/15 |
| Postal code | 14167 |
| City | Berlin |
| Country | Deutschland |
| E-Mail | info@delock.de |
| Website | www.delock.de |