

Delock USB-C™, HDMI or mini DisplayPort to 4K HDMI Adapter Cable 1.8 m

Description

This adapter cable by Delock can be used to connect a projector or monitor with HDMI input to a laptop with **HDMI, USB Type-C™** or **mini DisplayPort** interface.

Ideal for conference room

By using this cable solution, no additional adapter is required in the **conference room**. The corresponding connector can be used depending on the user's requirements. The adapter can also be used in **classrooms or lecture theatres**, where the tutor can simply connect the laptop to the appropriate port.

HDMI Ultra HD resolution

The HDMI output supports a maximum resolution of up to **3840 x 2160** pixels at 60 Hz, furthermore the audio signals can also be transmitted.



1,80 m

Specification

- Connectors:
 - Input:
 - 1 x USB Type-C™ male
 - 1 x HDMI-A male
 - 1 x mini DisplayPort male
 - 1 x USB Type Micro-B female (5 V power supply - DisplayPort and HDMI)
 - Output:
 - 1 x HDMI-A male
- Chipset: ITE IT66351, IT6350E, IT6563FN, Realtek RTD2172U
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- LED indicator for active port
- Colour: black
- Cable length input: ca. 30 cm
- Cable length output: ca. 145 cm

System requirements

- Android 8.0 or above
- Chrome OS 72.0 or above
- iPad Pro (2018)
- Linux Kernel 4.3 or above
- Mac OS 10.9.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Device with a free USB Type-C™ port and DisplayPort alternate mode or with a free Thunderbolt™ 3 port or
- A free HDMI female or
- A free mini DisplayPort female

Package content

- Adapter cable
- USB power cable, length: ca. 0.5 m
- User manual

Item no. 85830


EAN: 4043619858309

Country of origin: China

Package: Retail Box



Images



General

Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Android 8.0 or above Linux Kernel 4.3 or above Mac OS 10.9.5 or above iPad Pro (2018) Chrome OS 72.0 or above
-----------------------------	---

Interface

Output:	1 x HDMI-A 19 pin male
Input:	1 x HDMI-A 19 pin male 1 x mini DisplayPort 20 pin male 1 x USB Type-C™ male

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
----------------------------	---------------------

Physical characteristics

Cable length:	input: ca. 30 cm output: ca. 145 cm
Colour:	black