

# Delock USB-C™, HDMI ili mini DisplayPort na 4K HDMI adapterski kabel 1,8 m

## Opis

Ovaj adapterski kabel tvrtke Delock može se koristiti za spajanje projektor ili monitora s HDMI ulazom na prijenosno računalo s HDMI, USB Type-C™ ili mini DisplayPort sučeljem.

### Idealno za konferencijske prostorije

Korištenjem ovog kabela neće biti potreban dodatni adapter u konferencijskoj prostoriji. Odgovarajući spojnik može se koristiti ovisno o zahtjevima korisnika. Adapter se također može koristiti u učionicama ili salama za predavanja, gdje govornik može spojiti prijenosno računalo na odgovarajući ulaz.

### HDMI Ultra HD rezolucija

HDMI izlaz podržava maksimalnu rezoluciju do 3840 x 2160 piksela na 60 Hz, a također se mogu prenositi zvučni signali.

**1,80 m**

## Tehnički podaci

- Priključak:
  - Ulaz:
    - 1 x USB Type-C™, muški
    - 1 x HDMI-A muški
    - 1 x mini DisplayPort muški
    - 1 x USB Tipa Micro-B, ženski (5 V dovod napajanja - DisplayPort i HDMI)
  - Izlaz:
    - 1 x HDMI-A muški
- Skup čipova: ITE IT66351, IT6350E, IT6563FN, Realtek RTD2172U
- Razlučivost 3840 x 2160 @ 60 Hz (ovisno o sustavu i spojenom hardveru)
- Prijenos audio i video signala
- LED indikator za aktivni priključak
- Boja: crno
- Duljina kabela ulaza: oko 30 cm
- Duljina kabela izlaza: oko 145 cm

## Preduvjeti sustava

- Android 8.0 ili noviji
- Chrome OS 72.0 ili noviji
- iPad Pro (2018)
- Linux Kernel 4.3 ili noviji
- Mac OS 10.9.5 ili noviji
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Uređaj sa slobodnim USB Type-C™ priključkom i alternativnim DisplayPort načinom rada ili slobodnim Thunderbolt™ 3 priključkom ili
- Jedan slobodan HDMI ženski ili
- Jedan slobodan mini DisplayPort ženski

## Sadržaj pakiranja

- Adapterski kabel
- USB kabel napajanja, duljina: cca 0,5 m
- Korisnički priručnik

## Predmet br. 85830

EAN: 4043619858309


Zemlja podrijetla: China

Pakiranje: Retail Box





Slike





## General

Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Android 8.0 o superiore Linux Kernel 4.3 o superiore Mac OS 10.9.5 o superiore iPad Pro (2018) Chrome OS 72.0 or above
-----------------------------	--

## Interface

Output:	1 x HDMI-A a 19 pin maschio
Input:	1 x HDMI-A a 19 pin maschio 1 x mini DisplayPort a 20 pin maschio 1 x USB Type-C™ male

## Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
----------------------------	---------------------

## Physical characteristics

Cable length:	input: ca. 30 cm output: ca. 145 cm
Colour:	nero