

# USB Type-C™ 3 in 1 Retractable Charging Cable for Lightning™ / Micro USB / USB Type-C™ white

## Description

This practical 3 in 1 retractable cable by Delock can be connected to a power source with USB-C™ connection and can be used to charge various devices with Lightning™, Micro USB or USB Type-C™ interface. Charging three devices at the same time is also supported, whereby the total output current of 2.1 A is then distributed over all lines.

## Useful companion

Due to its small size, the Delock charging cable is a practical companion on the go and always at hand. A knotting of the cables is avoided by its winding mechanism.

## Flexible

The charging cable can be pulled out in four stages and thus offers different cable lengths, depending on requirements.



**Item no. 85844**

EAN: 4043619858446

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x USB 2.0 Type-C™ male >
  - 1 x 8 pin Apple Lightning™ male
  - 1 x USB Type Micro-B male
  - 1 x USB Type-C™ male
- Supports only charging function
- Maximum output current: 2.1 A
- Voltage: max. 5 V
- Cable gauge: 24 AWG
- Flat cable
- Connector with metal housing
- Colour: white / silver
- Length incl. connectors: ca. 98 cm (total incl. housing)
  - retracted:
    - USB-C™ Host-cable ca. 2.55 cm
    - 3 Device-cable ca. 15.9 cm
  - extended:
    - USB-C™ Host-cable ca. 39.5 cm
    - 3 Device-cable ca. 54.7 cm

## System requirements

- Power source with a free USB Type-C™ port



## Package content

- Cable

## Images



98 cm



## Interface

Connector:	1 x USB 2.0 Type-C™ male
Connector 1:	1 x Apple Lightning™ 8 pin male 1 x USB 2.0 Type Micro-B male 1 x USB Type-C™ male

## Technical characteristics

Maximum current:	3 A
Voltage:	5 V

## Physical characteristics

Cable length incl. connectors:	98 cm
Cable gauge:	23 AWG

## Manufacturer information

---

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de