

Delock HDMI to DisplayPort cable 4K 30 Hz 1 m

Description

This cable by Delock enables the connection between devices, e.g. a monitor, with DisplayPort connector to a HDMI interface.



Item no. 85963

EAN: 4043619859634

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x HDMI-A male
 - 1 x USB Type-A male (power supply) >
 - 1 x DisplayPort male
- Signal direction: HDMI input > DisplayPort output
- Chipset: STDP2600
- DisplayPort 1.2 and High Speed HDMI specification
- Cable gauge: 28 AWG
- Cable diameter: ca. 7.2 mm
- Contacts gold-plated
- Transmission of audio and video signals
- Resolution up to 3840 x 2160 @ 30 Hz
(depending on the system and the connected hardware)
- Supports 3D displays (1080p @ 120 Hz)
- 2 x ferrite core
- Colour: black
- Length incl. connectors: ca. 1 m

System requirements

- A free HDMI female
-

Package content

- HDMI to DisplayPort cable
-

Images



General

Specification:	DisplayPort 1.2 HDMI 1.4
----------------	-----------------------------

Interface

Connector 1:	1 x HDMI-A male 1 x USB Type-A male
Connector 2:	1 x DisplayPort male

Technical characteristics

Chipset:	Kinetic STDP2600
Maximum screen resolution:	3840 x 2160 @ 30 Hz

Physical characteristics

Ferrite core:	2 x
Pin finishing:	gold-plated
Conductor material:	copper
Cable gauge:	28 AWG
Shielding:	triple
Diameter:	7.2 mm
Length:	1 m
Colour:	black

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de