

Delock Active Optical 5 in 1 HDMI Cable 8K 60 Hz 25 m

Description

This **HDMI cable** by Delock can be used to connect devices with an HDMI interface, such as televisions, Blu-ray players, monitors or projectors. By supporting a maximum bandwidth of **48 Gbps**, content can be displayed with resolutions of up to **8K Ultra HD** (7680 x 4320 @ 60 Hz).



This active optical cable uses optical fiber to transmit high-speed signals. Compared to traditional copper cable, it is **softer**, **thinner**, **lighter**, and can transmit signals over longer distances **without loss**.

5 in 1 HDMI Cable

On the input side, there is a compact Micro HDMI port; the**included adapters** can be used to connect to a source with USB-CTM, DisplayPort, HDMI-A, or DVI and up to 3840 x 2160.



Item no. 86009

EAN: 4043619860098 Country of origin: China

Package: Box

Specification

· Connectors:

Input: 1 x HDMI Micro-D male
Output: 1 x HDMI-A male

• Active optical cable: fiber / copper hybrid cable

- High Speed HDMI specification
- Fixed signal direction
- Transmission of audio and video signals
- Data transfer rate up to 48 Gbps
- Maximum resolution (depending on the system and the connected hardware):

HDMI up to 7680 x 4320 @ 60 Hz

HDMI up to 3840 x 2160 @ 144 Hz

DisplayPort / USB Type-C™ up to 3840 x 2160 @ 60 Hz

DVI up to 3840 x 2160 @ 30 Hz

- Supports HDR (High Dynamic Range)
- Supports HDCP 1.4 and 2.2
- Cable diameter: ca. 5.4 mm
- Contacts gold-plated





- · Colour: black
- Length incl. connectors: ca. 25 m

System requirements

• A free HDMI interface

Package content

- HDMI cable
- Adapter HDMI-A male to HDMI Micro-D female
- Adapter DisplayPort male to HDMI Micro-D female
- Adapter USB Type-CTM male to HDMI Micro-D female
- Adapter DVI-D male to HDMI Micro-D female
- Screwdriver

Images







General

|--|

Interface

| Connector 1: | 1 x HDMI Micro D 19 pin male |
|--------------|------------------------------|
| Connector 2: | 1 x HDMI-A male |

Technical characteristics

| Maximum screen resolution: | 7680 x 4320 @ 60 Hz |
|----------------------------|----------------------|
| | 3840 x 2160 @ 144 Hz |

Physical characteristics

| Cable colour: | black |
|-------------------------------|-------|
| Cable length incl. connector: | 25 m |
| Smallest bending radius: | 20 mm |