

Delock WLAN 802.11 b/g/n cu antenă I-PEX Inc., MHF® I tată, 3 dBi, 7,5 cm, PIFA 803, intern

Descriere scurta

Această antenă de la Delock permite utilizarea benzilor WLAN de 2,4 GHz în interior.

**Nr. 86137**

EAN: 4043619861378

Țara de origine: Taiwan,
Republic of ChinaPachet: Pungă din plastic
cu închidere tip fermoar

Specification

- Conector: 1 x I-PEX Inc., MHF® I tată
- Frecvență: 2400 MHz - 2500 MHz
- WLAN 2,4 GHz, Bluetooth, ISM, ZigBee
- Amplificare antenă: 3 dBi
- Impedanță: 50 Ohm
- VSWR: 2,0
- Temperatură în stare de funcționare: -10 °C ~ 55 °C
- Tip cablu: coaxial
- Tip cablu: 1,13
- Culoare cablu: gri
- Diametru cablu: ca. 1,13 mm
- Atenuare cablu: 3,2 dB @ 2400 MHz pe metru
- Raza minimă de îndoire: 4,5 mm
- Dimensiunii (LxlxÎ): aprox. 25,0 x 6,0 x 5,0 mm
- Lungimea incl. conectori (L): aprox. 7,5 cm





Cerinte de sistem

- Dispozitiv cu un portsau I-PEX Inc., MHF® I liber

Pachetul contine

- Antenă

Imagini



General

Suitable for indoor:	Da
----------------------	----

Interface

connector:	1 x I-PEX Inc., MHF® I tată
------------	-----------------------------

Technical characteristics

Frequency range:	2400 MHz - 2500 MHz
Antenna gain:	3 dBi
Impedance:	50 Ω
Temperatură în stare de funcționare:	-10 °C ~ 55 °C
VSWR:	2,0

Physical characteristics

Cable category:	coaxial
Cable type:	1.13
Cable attenuation:	3.2 dB @ 2.4 GHz per meter
Cable colour:	negru
Cable length incl. connector:	45 cm
Lungime:	25,0 mm
Width:	6,0 mm
Height:	5,0 mm
Smallest bending radius:	4,5 mm