

# Delock USB 3 in 1 Retractable Charging Cable for Lightning<sup>™</sup> 8 pin / Micro USB / USB Type-C<sup>™</sup> black

#### Description

This practical 3 in 1 retractable cable by Delock can be connected to a power source with USB-A connection and can be used to charge various devices with Lightning<sup>™</sup>, Micro USB or USB Type-C<sup>™</sup> interface. Charging three devices at the same time is also supported, whereby the total output current of 1.5 A is then distributed over all lines.

#### **Useful companion**

Due to its small size, the Delock charging cable is a practical companion on the go and always at hand. A knotting of the cables is avoided by its winding mechanism. In addition, the USB Type-A male can be pulled into the housing and thus serves as a transport loop.



#### Item no. 86702

EAN: 4043619867028 Country of origin: China Package: Zip poly bag

#### Flexible

The charging cable can be pulled out in eight stages and thus offers different cable lengths, depending on requirements.

## **Specification**

- Connectors:
  - 1 x USB Type-A male >
  - 1 x 8 pin Apple Lightning<sup>™</sup> male
  - 1 x USB Type Micro-B male
  - 1 x USB Type-C™ male
- Supports only charging function
- Maximum output current: 1.5 A
- Voltage: max. 5 V
- Cable gauge: 22 AWG
- Flat cable
- Connector with metal housing
- Colour: black
- Length incl. connectors: ca. 100 cm (total incl. housing) retracted:
  - 3 Device-cable ca. 14.5 cm

#### **DATASHEET**



extended: USB-A Host-cable ca. 9.0 cm 3 Device-cable ca. 94.5 cm

### System requirements

• Power source with a free USB Type-A port

#### **Package content**

• Cable

#### Images





#### General

Style:	Flat cable
Interface	
Connector 1:	1 x USB 2.0 Type-A male
Connector 2:	1 x Apple Lightning™ male
connector 3:	1 x USB Type-C™ male
connector 4:	1 x USB 2.0 Type Micro-B male

## **Technical characteristics**

Voltage: 5 V
--------------

## **Physical characteristics**

Cable length incl. connector:	1 m
Conductor gauge:	22 AWG
Colour:	black