



# Delock FPC Flat Ribbon Cable USB Type-C™ to HDMI (DP Alt Mode) 4K 60 Hz 13.5 cm

#### **Description**

This cable by Delock enables the connection of an HDMI monitor to a PC or laptop with USB-CTM or ThunderboltTM 3 port, such as a MacBook or a Chromebook. The interface has to support the DisplayPort Alternate Mode.

#### Ultra flexible cable

The cable is characterized by its special construction. Instead of normal copper wires there is a flexible circuit board inside the cable, which is also called FPC (Flexible Printed Circuit). This makes the cable extremely flexible and yet robust.



#### Item no. 86729

EAN: 4043619867295 Country of origin: China Package: Zip poly bag

#### **Specification**

- Connectors:
  - 1 x USB Type-C™ male >
  - 1 x HDMI female
- Chipset: Realtek RTD2172U
- DisplayPort 1.2 and High Speed HDMI with Ethernet (HEC) specification
- FPC (Flexible Printed Circuit) flat ribbon cable
- · Cable thickness: ca. 3 mm
- Resolution up to 3840 x 2160 @ 60 Hz
   (depending on the system and the connected hardware)
- · Transmission of audio and video signals
- Supports 3D displays
- Supports HDR
- Supports HDCP 1.4 and 2.2
- USB bus powered
- Plug & Play
- Colour: silver / black
- Length incl. connectors: ca. 13.5 cm



## **System requirements**

- Mac OS 10.15.6 or above
- Windows 10/10-64
- iPad Pro (2018)
- PC or laptop with a free USB Type-C<sup>TM</sup> port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

## **Package content**

• USB-CTM to HDMI cable

## **Images**





#### General

Specification:	DisplayPort 1.2 High Speed HDMI with Ethernet HDCP 1.4 HDCP 2.2 HDR
Supported operating system:	Mac OS 10.15.6 or above Windows 10 32-Bit Windows 10 64-Bit
Style:	Flat cable

## Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x HDMI-A female

## **Technical characteristics**

Chipset:	Realtek RTD2172U
Maximum screen resolution:	3840 x 2160 @ 60 Hz

## **Physical characteristics**

Length:	13.5 cm
Colour:	black