

# Delock FPC Flat Ribbon Cable USB Type-C™ to VGA (DP Alt Mode) 13 cm

## Description

This cable by Delock enables the connection of a VGA monitor to a PC or laptop with USB-C™ or Thunderbolt™ 3 port, such as a MacBook or a Chromebook. The interface has to support the DisplayPort Alternate Mode.

### Ultra flexible cable

The cable is characterized by its special construction. Instead of normal copper wires there is a flexible circuit board inside the cable, which is also called FPC (Flexible Printed Circuit). This makes the cable extremely flexible and yet robust.



13 cm

**Item no. 86730**

EAN: 4043619867301

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  - 1 x USB Type-C™ male >
  - 1 x VGA female
- Chipset: ITE IT6220FN
- DisplayPort 1.2 specification
- FPC (Flexible Printed Circuit) flat ribbon cable
- Cable thickness: ca. 3 mm
- Resolution up to 1920 x 1080 @ 60 Hz  
(depending on the system and the connected hardware)
- USB bus powered
- Plug & Play
- Colour: silver / black
- Length incl. connectors: ca. 13 cm

## System requirements

- Chrome OS 83.0 or above

- Mac OS 10.15.6 or above
- Windows 10/10-64
- iPad Pro (2018)
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

---

## Package content

- USB-C™ to VGA cable

---

## Images



## General

Specification:	DisplayPort 1.2
Supported operating system:	Chrome OS 83.0 or above Mac OS 10.15.6 or above Windows 10 32-Bit Windows 10 64-Bit
Style:	Flat cable

## Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x VGA 15 pin female

## Technical characteristics

Chipset:	ITE IT6220FN
Maximum screen resolution:	1920 x 1080 @ 60 Hz

## Physical characteristics

Length:	13 cm
Colour:	black