


Delock Optical Fiber Coupler SC Duplex female to SC Duplex female Single-mode metal

Description

With this SC Duplex coupling by Delock, optical fiber male connectors can be easily connected to each other. The coupling enables a direct connection to the optical fiber cable and is suitable for simple mounting in optical fiber connection boxes, cabinets and patch panels.

Protection by dust cover

The coupling is equipped with an appropriate cap to protect the sleeve from dust and to keep it clean.



Item no. 86873

EAN: 4043619868735

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x SC Duplex female >
 - 1 x SC Duplex female
- For single-mode fiber
- Ceramic sleeve
- With dust cover
- Mounting via metal holder or screws
- 2 x mounting holes
- Mounting hole diameter: 2.4 mm
- Pitch of screw hole: ca. 30.7 mm
- Panel cut-out (WxH): ca. 26.6 x 9.5 mm
- Operating temperature: -20 °C ~ 70 °C
- Material: metal
- Dimensions (LxWxH): ca. 34.7 x 27.5 x 9.3 mm

System requirements

- A free SC Duplex male port
-

Package content

- SC Duplex coupler
-

Images



Interface

| | |
|--------------|----------------------|
| Connector 1: | 1 x SC Duplex female |
| Connector 2: | 1 x SC Duplex female |

Technical characteristics

| | |
|------------------------|----------------|
| Operating temperature: | -20 °C ~ 70 °C |
|------------------------|----------------|

Physical characteristics

| | |
|-----------|---------|
| Material: | metal |
| Length: | 34.7 mm |
| Width: | 27.5 mm |
| Height: | 9.3 mm |