

# Optical Fiber Coupler with laser protection flip LC Duplex female to LC Duplex female Single-mode green

## Description


With this LC Duplex coupling by Delock, optical fiber male connectors can be easily connected to each other. The coupling enables a direct connection to the optical fiber cable and is suitable for simple mounting in optical fiber connection boxes, cabinets and patch panels.

### Protection against laser radiation

The integrated flip ensures protection against laser radiation.

### Protection by dust cover

The coupling is equipped with an appropriate cap to protect the sleeve from dust and to keep it clean.



**Item no. 86897**

EAN: 4043619868971

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x LC Duplex female >
  - 1 x LC Duplex female
- For single-mode fiber
- Ceramic sleeve
- With a laser protection flip and a dust protection cap
- Mounting via metal holder or screws
- 2 x mounting holes
- Mounting hole diameter: 2.3 mm
- Pitch of screw hole: ca. 18 mm
- Panel cut-out (WxH): ca. 13.4 x 9.5 mm
- Operating temperature: -20 °C ~ 70 °C
- Material: plastic
- Colour: green
- Dimensions (LxWxH): ca. 29.2 x 12.7 x 9.3 mm

## System requirements

- A free LC Duplex plug


---

## Package content

- LC Duplex coupler

---

## Images



### General

Style:	both sides identical
--------	----------------------

### Interface

Connector 1:	1 x LC Duplex female
Connector 2:	1 x LC Duplex female

### Technical characteristics

Operating temperature:	-20 °C ~ 70 °C
------------------------	----------------

### Physical characteristics

Material:	Plastic
Length:	29.2 mm
Width:	12.7 mm
Height:	9.3 mm
Colour:	green

### Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

