

Delock Optical Fiber Coupler with laser protection flip LC Duplex female to LC Duplex female Single-mode blue

Description


With this LC Duplex coupling by Delock, optical fiber male connectors can be easily connected to each other. The coupling enables a direct connection to the optical fiber cable and is suitable for simple mounting in optical fiber connection boxes, cabinets and patch panels.

Protection against laser radiation

The integrated flip ensures protection against laser radiation.

Protection by dust cover

The coupling is equipped with an appropriate cap to protect the sleeve from dust and to keep it clean.



Item no. 86898

EAN: 4043619868988

Country of origin: China

Package: Zip poly bag

Specification

- Connectors:
 - 1 x LC Duplex female >
 - 1 x LC Duplex female
- For single-mode fiber
- Ceramic sleeve
- With a laser protection flip and a dust protection cap
- Mounting via metal holder or screws
- 2 x mounting holes
- Mounting hole diameter: 2.3 mm
- Pitch of screw hole: ca. 18 mm
- Panel cut-out (WxH): ca. 13.4 x 9.5 mm
- Operating temperature: -20 °C ~ 70 °C
- Material: plastic
- Colour: blue
- Dimensions (LxWxH): ca. 29.2 x 12.7 x 9.3 mm


System requirements

- A free LC Duplex plug

Package content

- LC Duplex coupler

Images



Interface

| | |
|--------------|----------------------|
| Connector 1: | 1 x LC Duplex female |
| Connector 2: | 1 x LC Duplex female |

Technical characteristics

| | |
|------------------------|----------------|
| Operating temperature: | -20 °C ~ 70 °C |
|------------------------|----------------|

Physical characteristics

| | |
|-----------|---------|
| Material: | Plastic |
| Length: | 29.2 mm |
| Width: | 12.7 mm |
| Height: | 9.3 mm |
| Colour: | blue |