

Delock FPC Flat Ribbon Cable USB Type-C™ to Stereo jack 10 cm

Description

This **audio adapter** by Delock allows the connection of earphones, a headset or speakers with stereo jack to devices with a **USB Type-C™** port, such as a smartphone, MacBook or Chromebook.

Ultra flexible cable

The cable is characterized by its special construction. Instead of normal copper wires there is a flexible circuit board inside the cable, which is also called **FPC (Flexible Printed Circuit)**. This makes the cable extremely flexible and yet robust.

Note

The USB Type-C™ interface of the device has to support the output of audio signals (USB ADC specification).



10 cm

Item no. 86942

EAN: 4043619869428

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x USB Type-C™ male >
 - 1 x 3.5 mm 4 pin stereo jack female
- Chipset: Synaptics CX21986
- FPC (Flexible Printed Circuit) flat ribbon cable
- Signal-to-noise ratio (SNR): ca. 99 dB
- Sample rate: up to 24 Bit / 96 kHz
- Cable thickness: ca. 3 mm
- Colour: silver / black
- Length incl. connectors: ca. 10 cm

System requirements


- Android 10.0 or above
- iOS 14.0.1 or above
- Linux Kernel 5.4 or above

- Mac OS 11.0.1 or above
 - Windows 10/10-64
 - iPad Pro (2018)
 - Device with a free USB Type-C™ port
 - Earphones or speaker with 3.5 mm stereo jack
-

Package content

- USB cable
-

Images



General

Supported operating system:	Linux Kernel 5.4 or above Mac OS 11.0.1 or above Windows 10 32-Bit Windows 10 64-Bit iOS 14.0.1 or above Android 10.0 or above
Style:	Flat cable

Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x 3.5 mm 4 pin stereo jack female

Technical characteristics

Chipset:	Synaptics CX21986
Sample rate:	24 Bit / 96 kHz
Signal noise ratio (SNR):	99 dB

Physical characteristics

Length:	10 cm
Colour:	silver / black
Cable diameter:	3 mm

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de