


# Delock DisplayPort Cable 4K 60 Hz with DC feed 2.1 x 5.5 mm 0.30 m panel-mount

## Description

This DisplayPort cable by Delock is designed to provide a DisplayPort female port. Via the additional DC connector, it is possible to feed in power. By using active adapters, a constant power supply can be guaranteed.

## Please Note

If power is supplied via the DC connector, the signal can only be transmitted in one direction. Without external power supply the cable can be used bidirectional.



30 cm

**Item no. 87039**

EAN: 4043619870394

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x DisplayPort female
  - 1 x DisplayPort female + 1 x 3.3 V DC jack 2.1 x 5.5 mm
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Supports HDCP 2.2 (High-Bandwidth Digital Content Protection)
- Supports HDR
- Input voltage: 3.3 V
- Material: PC plastic
- Cable diameter: ca. 5.5 mm
- Mounting hole: ca. 21.5 x 12.5 mm, screw hole pitch ca. 28 mm
- Length incl. connectors (L): ca. 0.3 m
- Colour: black

## System requirements

- A free DisplayPort male port

## Package content

- DisplayPort cable

---

## Images



### Interface

Connector 1:	1 x DisplayPort female
Connector 2:	1 x DisplayPort female 1 x DC 5.5 x 2.1 mm female

### Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
----------------------------	---------------------

### Physical characteristics

Length:	0.3 m
Colour:	black

### Manufacturer information

---

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de