

# Delock Cable connector LSA to LSA Cat.6A IP68 waterproof black

## Description

This cable connector by Delock can be used to connect or extend two unassembled patch cables using LSA connection and is ideal for outdoor and industry applications.

### IP68 dust and waterproof

The coupler offers increased protection against dirt and moisture for the connection of the network cables.



**Item no. 87186**

EAN: 4043619871865

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  - 1 x LSA (toolfree)
  - 1 x LSA (toolfree)
- 1:1 connected
- Cat.6A specification
- Shielded (STP)
- TIA-568B pinout
- Protection class: IP68
- For solid or stranded wire (26 - 22 AWG)
- For cable diameter from 5.0 - 7.5 mm
- Thread size: M23 x 1.5 mm
- Operating temperature: -40 °C ~ 85 °C
- Silicone sealing ring orange
- Material: plastic
- Colour: black
- Dimensions (LxWxH): ca. 122 x 30 x 23 mm

## Package content

- Cable connector
- 2 x cable manager
- 2 x cable tie

---

## Images



## General

|                |         |
|----------------|---------|
| Specification: | Cat. 6A |
|----------------|---------|

## Interface

|              |                    |
|--------------|--------------------|
| Connector 1: | 1 x LSA (toolfree) |
| Connector 2: | 1 x LSA (toolfree) |

## Technical characteristics

|                        |                |
|------------------------|----------------|
| Operating temperature: | -40 °C ~ 85 °C |
|------------------------|----------------|

## Physical characteristics

|                  |              |
|------------------|--------------|
| Conductor gauge: | 26 - 22 AWG  |
| Material:        | Plastic      |
| Shielding:       | STP          |
| Length:          | 122 mm       |
| Width:           | 30 mm        |
| Height:          | 23 mm        |
| Colour:          | black        |
| Thread type:     | M23          |
| Cable diameter:  | 5.0 - 7.5 mm |