

Delock USB Type-C™ Slim Docking Station 4K - HDMI / USB 3.0 / LAN / SD / PD 3.0

Description

This docking station by Delock can be connected to a computer with a USB-CTM DP Alt Mode or ThunderboltTM 3 port and provides a variety of interfaces. A monitor can be operated at the **HDMI** output. Four built-in **USB 3.0** ports allow the use of peripherals, and connections for **SD** and **Micro SD** card and **Gigabit network** complete the features.



USB Power Delivery (USB PD 3.0) support up to 60 watt

The docking station has a USB Type-CTM Power Delivery port to connect the power supply of the laptop or tablet to charge it. The docking station will be supplied with power and at the same time the connected host device, such as the MacBook will be loaded.

Item no. 87748

EAN: 4043619877485 Country of origin: China Package: Retail Box

Use under the laptop

Due to its elongated shape and **metal housing**, the docking station is perfectly suited for use under a laptop, e.g. MacBook. The increased tilt of the laptop serves a better comfort while working, as well as a **better cooling of the laptop**.

Note

When using plenty memories at the USB ports, a power supply should be supplied via the USB Type-CTM PD port.

Specification

- · Connectors:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-CTM female >
 - 1 x USB Type-CTM female (power supply)
 - 4 x USB 3.0 Type-A female
 - 1 x HDMI-A female
 - 1 x Gigabit LAN 10/100/1000 Mbps RJ45 jack
 - 1 x SD / SDHC / SDXC / MMC slot
 - 1 x Micro SD / SDHC / SDXC slot





- Resolution up to 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- It can be used two memory cards at the same time
- Data can be exchanged directly between two connected memory cards
- USB Power Delivery (PD) 3.0
- Supports HDCP 1.4
- Output power for host: max. 60 W
- 1 x LED indicator
- Metal housing
- · Colour: grey
- Dimensions (LxWxH): ca. 282 x 41 x 16 mm

System requirements

- Mac OS 10.14.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Device with a free USB Type-C[™] port and DisplayPort alternate mode or with a free Thunderbolt[™] 3 port

Package content

- USB-CTM docking station
- Cable USB-C™ male to USB-C™ male, length ca. 20 cm
- User manual

Images











General

| Supported operating system: | Mac OS 10.14.5 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |
|-----------------------------|---|
| LED indicator: | 1 x |

Technical characteristics

3840 x 2160 @ 30 Hz Maximum screen resolution:

Physical characteristics

| Cable length: | 20 cm (without connector) |
|---------------|---------------------------|
| Length: | 282 mm |
| Width: | 41 mm |
| Height: | 16 mm |
| Colour: | grey |