

# Delock Gigabit Ethernet Switch 4 Port PoE + 1 RJ45

#### Description

This Gigabit Ethernet Switch by Delock can be used to connect different network components. The four RJ45 ports support **Power over Ethernet** according to IEEE802.3af / 802.3at, so they can supply power to PoE-enabled devices, such as an IP camera or a PoE splitter via the network cable.

An additional **RJ45 uplink port** without PoE function is available.



Item no. 87764

EAN: 4043619877645 Country of origin: China Package: White Box

## Specification

- Connectors:
  - 4 x RJ45 jack PoE
  - 1 x RJ45 jack
  - 1 x DC 5.5 x 2.1 mm female
- Output power: max. 30 W per port, max. 60 W total
- Data transfer rate up to 1 Gbps
- LED indicator for power and PoE
- · LED indicator for link and activity
- Supports IEEE 802.3at PoE+
- Phantom power (Mode A, pairs 1/2 and 3/6)
- Metal housing
- Fanless
- Dimensions (LxWxH): ca. 130 x 87 x 28 mm

#### Power supply specification

- Power supply with IEC C14 connector
- Input: AC 100  $\sim$  240 V / 50  $\sim$  60 Hz / 1.5 A
- Output: DC 48.0 V / 1.35 A

#### **DATASHEET**



- Ground outside, plus inside
- Dimensions: inside: ø ca. 2.1 mm outside: ø ca. 5.5 mm length: ca. 9 mm

#### System requirements

• Device with one free RJ45 port

## Package content

- PoE switch
- External power supply
- Power cord
- User manual

#### Images









#### Interface

Output:	4 x RJ45 female (PoE)
Input:	1 x RJ45 jack 1 x DC 5.5 x 2.1 mm female

## **Technical characteristics**

Data transfer rate:	Ethernet up to 10 Mbps
	Fast Ethernet up to 100 Mbps
	Gigabit Ethernet up to 1 Gbps

## **Physical characteristics**

Housing colour:	black
Housing material:	metal
Length:	130 mm
Width:	87 mm
Height:	28 mm

## **Power supply**

Туре:	Power supply with IEC connector
Input:	AC 100 - 240 V / 50 - 60 Hz / 1,5 A
Output:	48.0 V / 1.35 A
Connector:	DC male 5.5 mm x 2.1 mm