

# Delock Gigabit Ethernet Switch 4 Port PoE + 1 SFP

## Description

This Gigabit Ethernet Switch by Delock can be used to connect different network components. The four RJ45 ports support **Power over Ethernet** according to IEEE802.3af / 802.3at, so they can supply power to PoE-enabled devices, such as an IP camera or a PoE splitter via the network cable.

The **additional SFP slot** allows to expand the network with a fiber optic connection.



**Item no. 87765**

EAN: 4043619877652

Country of origin: China

Package: White Box

## Technical details

- Connectors:
  - 4 x RJ45 jack PoE
  - 1 x SFP slot for 1 Gbps SFP module
  - 1 x DC 5.5 x 2.1 mm female
- Output power: max. 30 W per port, max. 60 W total
- Data transfer rate up to 1 Gbps
- LED indicator for power and PoE
- LED indicator for link and activity
- Supports IEEE 802.3at PoE+
- Phantom power (Mode A, pairs 1/2 and 3/6)
- Metal housing
- Fanless
- Dimensions (LxWxH): ca. 153 x 87 x 29 mm

## Power supply specification

- Power supply with IEC C14 connector
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1.5 A
- Output: DC 48.0 V / 1.35 A

- Ground outside, plus inside
  - Dimensions:  
inside:  $\varnothing$  ca. 2.1 mm  
outside:  $\varnothing$  ca. 5.5 mm  
length: ca. 9 mm
- 

## System requirements

- Device with one free RJ45 port
- 

## Package content

- PoE switch
  - External power supply
  - Power cord
  - User manual
- 

## Images



## Interface

|         |  |
|---------|--|
| Output: | 4 x RJ45 female (PoE)                      |
| Input:  | 1 x SFP jack<br>1 x DC 5.5 x 2.1 mm female |

## Technical characteristics

|                     |   |
|---------------------|---|
| Data transfer rate: | Ethernet up to 10 Mbps<br>Fast Ethernet up to 100 Mbps<br>Gigabit Ethernet up to 1 Gbps |
|---------------------|---|

## Physical characteristics

|                   |        |
|-------------------|--------|
| Housing colour:   | black  |
| Housing material: | metal  |
| Length:           | 153 mm |
| Width:            | 87 mm  |
| Height:           | 29 mm  |

## Power supply

|            |                                     |
|------------|-------------------------------------|
| Type:      | Power supply with IEC connector     |
| Input:     | AC 100 - 240 V / 50 - 60 Hz / 1,5 A |
| Output:    | 48.0 V / 1.35 A                     |
| Connector: | DC male 5.5 mm x 2.1 mm             |

## Herstellerinformation

|          |                   |
|----------|-------------------|
| Strasse  | Beeskowdamm 13/15 |
| PLZ      | 14167             |
| Ort      | Berlin            |
| Land     | Deutschland       |
| E-Mail   | info@delock.de    |
| Webseite | www.delock.de     |