

# USB 3.2 Gen 1 Type-A to PCB built-in connector with protective dust cap

## Description

This USB built-in connector by Delock can be used in a switch cabinet or distribution box for connecting single wires with open cable heads at the PCB solder connections.

### Dust cover

The dust protection cap protects the female port from dirt or damage when not in use. The built-in socket thus remains ready for use in the long term, especially in dusty environments and in industrial sector.



**Item no. 87821**

EAN: 4043619878215

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
  - 8 x PCB solder connection
- Built-in hole Ø: 22.5 mm
- Housing material: plastic
- Colour: black
- Data transfer rate up to 5 Gbps
- With protective dust cap
- Dimensions (LxD): ca. 32 x 22.5 mm

## Package content

- Built-in connector

## Images



### Interface

Connector 1:	1 x USB Type-A female
Connector 2:	8 x PCB solder connection

### Technical characteristics

Data transfer rate:	5 Gbps
---------------------	--------

### Physical characteristics

Housing material:	Plastic
Diameter:	22.5 mm
Length:	32 mm
Colour:	black

### Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

