

Delock Industrial Gigabit Ethernet Switch 4 Port RJ45 2 Port SFP for DIN rail

Description

This robust, industry capable Gigabit Ethernet switch by Delock can be used to connect different network components.

Two SFP uplink ports with 1 Gbps offer flexible connection options.

Redundant power supply with 9 V to 48 V

The switch accepts two terminal power sources, allowing it to be permanently connected to multiple power sources, enabling applications that require high availability.



Item no. 88015

EAN: 4043619880157

Country of origin: China

Package: Box

Technical details

- Connectors:
 - 4 x RJ45 jack for 10/100/1000 Mbps Base-T
 - 2 x SFP slot for 1 Gbps SFP module
 - 1 x 5 pin terminal power connector
- Data transfer rate up to 1 Gbps
- Supports IEEE 802.3 / 802.3u / 802.3z / 802.3ab
- VLAN port Isolation
- LEDs for status monitoring
- Redundant power supply with 9 V to 48 V
- Power consumption: max. 6 W
- Robust metal housing
- Fanless
- Suitable for 35 mm DIN rail
- Protection class: IP40
- Operating temperature: -40 °C ~ 85 °C
- Dimensions (LxWxH): ca. 116 x 85 x 33 mm

System requirements

- Power supply with DC 9 V - 48 V (not included)
-

Package content

- Switch
 - User manual
-

Images



General

Mounting type:	DIN rail 35 mm
----------------	----------------

Interface

Connector 1:	4 x RJ45 jack
Connector 2:	2 x SFP slot
connector 3:	1 x 5 pin terminal block

Technical characteristics

Data transfer rate:	Gigabit Ethernet up to 1 Gbps
Operating temperature:	-40 °C ~ 85 °C

Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	116 mm
Width:	33 mm
Height:	85 mm

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de