


Delock USB 2.0 Data and Fast Charging Cable USB Type-C™ + USB Type-A male to USB Type-C™ male PD 3.1 140 W with power indication 1.20 m

Description

This USB cable by Delock enables the connection between a device with a USB Type-C™ connector and a PC or a laptop equipped with a free **USB Type-C™ or USB Type-A** port. The integrated chipset supports the **PD 3.1** function for **fast charging** with a charging power of up to **140 W**. A suitable power supply unit with a USB Type-C™ or Type-A socket can be used for the charging function only.



Display

A special feature of this cable is the **power indication**, which shows the current charging power in watts as well as the current in amperes and voltage in volts. The power will be displayed with **three digits**.

Item no. 88137

EAN: 4043619881376

Country of origin: China

Package: Retail Box

Extensive connectivity

Due to the specially designed adapter, the Delock cable can be quickly and easily connected to the USB Type-A socket. Thus, it can be easily connected to new devices with USB Type-C™ female and older devices that only have a USB Type-A connector. The adapter is located directly on the cable and therefore it cannot be lost.

Quality and performance

The cable is very sturdy and durable due to its robust textile shielding and strong strain relief. The high cable gauge of the power line with 20 AWG also supports a stable power supply of up to 5 A.

Specification

- Connectors:
 - 1 x USB Type-C™ + USB Type-A male
 - 1 x USB Type-C™ male
- Chipset: E-Marker BJ8M601AFE-BK1
- Cable gauge:
 - 28 AWG data line
 - 20 AWG power line

- Power supply via USB Type-C™ up to 140.0 W (28.0 V / 5.0 A)
- Power supply via USB Type-A up to 60.0 W (20.0 V / 3.0 A)
- USB Power Delivery (USB PD 3.1) support up to 140.0 watt (**only via USB Type-C™**)
- Cable diameter: ca. 3.8 mm
- Data transfer rate up to 480 Mbps
- Cable with textile shielding
- Colour: black
- Length incl. connectors: ca. 1.20 m

System requirements

- PC or laptop with a free USB Type-C™ or USB Type-A port
- Power supply with a free USB Type-C™ or USB Type-A port
- Device with USB Type-C™ port

Package content

- Cable

Images



General

Cable finishing:	textile coating
Specification:	USB 2.0

Interface

connector:	1 x USB 2.0 Type-A male 1 x USB 2.0 Type-C™ male
Connector 1:	1 x USB 2.0 Type-C male

Technical characteristics

Data transfer rate:	480 Mbps
Maximum load:	140 W
Maximum current:	5 A
Voltage:	28 V

Physical characteristics

Cable length incl. connector:	1.20 m
Conductor gauge:	28 AWG data line 20 AWG power line
Colour:	black