


# Delock Placă PCI Express x1 la 2 x RJ45 Gigabit LAN

## Descriere scurta

Placa PCI Express de la Delock oferă două porturi de rețea, cu o rată de transfer a datelor de până la 1000 Mbps.

**Nr. 88206**

EAN: 4043619882069

Țara de origine: China

Pachet: Box

## Specification

- Conectori:  
extern: 2 x Gigabit LAN RJ45 mamă  
intern: 1 x PCI Express x1, V2.0
- Chipset: Broadcom BCM5720
- Rată transfer date:  
Ethernet până la 10 Mbps  
Fast Ethernet până la 100 Mbps  
Gigabit Ethernet până la 1.000 Mbps  
PCI Express x1 de până la 4 Gbps
- Acceptă IEEE 802.3 / 802.3u / 802.3ab
- Acceptă control al fluxului IEEE 802.3x în mod duplex integral
- Acceptă IEEE 802.3az (Ethernet eficient energetic)
- Acceptă cadre Jumbo 9k
- Acceptă Wake on LAN (WOL - Activare prin LAN)
- Acceptă rețele LAN virtuale IEEE 802.1Q (VLAN)
- Acceptă PXE
- Indicator LED pentru legătura și activitatea

## Cerinte de sistem

- Windows 10/10-64/11
- PC cu slot PCI Express liber

---

## Pachetul contine

- Placă PCI Express
- Consolă minimalistă
- Manual de utilizare

---

## Imagini



## General

|                             |                                                      |
|-----------------------------|------------------------------------------------------|
| Supported operating system: | Windows 10 32-bit<br>Windows 10 64-bit<br>Windows 11 |
|-----------------------------|------------------------------------------------------|

## Interface

|           |                           |
|-----------|---------------------------|
| External: | 2 x Gigabit LAN RJ45 jack |
| Internal: | 1 x PCI Express x1, V2.0  |

## Technical characteristics

|                     |                                                                                         |
|---------------------|-----------------------------------------------------------------------------------------|
| Chipset:            | Broadcom BCM5720                                                                        |
| Data transfer rate: | Ethernet up to 10 Mbps<br>Fast Ethernet up to 100 Mbps<br>Gigabit Ethernet up to 1 Gbps |

## Physical characteristics

|               |                          |
|---------------|--------------------------|
| Slot bracket: | profil redus<br>standard |
|---------------|--------------------------|