


Delock PCI Express x1 Card to 1 x SFP slot 100Base-FX RTL

Description

This PCI Express network card by Delock provides a connection for an SFP module with a transfer rate of 100 Mbps. The SFP slot accepts an optional 100Base-FX SFP module by Delock to connect a PC via a fiber optic cable to the network.



Item no. 88216

EAN: 4043619882168

Country of origin: China

Package: White Box

Technical details

- Connectors:
internal: 1 x PCI Express x1, V2.1
external: 1 x SFP slot for 100 Mbps SFP module
- Chipset: Realtek RTL8105SE
- Data transfer rate:
Fast Ethernet up to 100 Mbps
PCI Express x1 up to 2.5 Gbps
- Supports IEEE 802.1P layer 2 priority encoding
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- LED indicator for link and activity


System requirements

- Windows 10/10-64/11
- PC with one free PCI Express slot
- SFP module

Package content

- PCI Express card
- Low profile bracket
- User manual

Images



General

Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11
-----------------------------	--

Interface

External:	1 x SFP slot for 100 Mbps SFP module
Internal:	1 x PCI Express x1, V2.1

Technical characteristics

Chipset:	Realtek RTL8105SE
Data transfer rate:	Fast Ethernet up to 100 Mbps

Physical characteristics

Slot bracket:	Low Profile standard
---------------	----------------------

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de