


# Delock OCP 3.0 Card to 4 x RJ45 Gigabit LAN

## Description

The OCP 3.0 card by Delock offers **four network ports** with a data transfer rate up to **1 Gbps**.

### OCP NIC 3.0 Small Form Factor (SFF)

The Open Compute Project provides open and unified standards that make data centers more energy-efficient and cost-effective. The OCP NIC 3.0 SFF interface for servers supports **PCI Express 4.0 with 16 lanes**. The mechanical design simplifies maintenance and servicing, as it is no longer necessary to open the server housing for replacement.



**Item no. 88300**

EAN: 4043619883004

Country of origin: China

Package: Box

## Technical details


- Connectors:
  - external: 4 x Gigabit LAN RJ45 jack
  - internal: 1 x OCP 3.0 4C+ connector
- OCP 3.0 W1 SFF 76 mm
- Fastening with pull tab
- Chipset: Intel i350
- Data transfer rate:
  - Ethernet up to 10 Mbps
  - Fast Ethernet up to 100 Mbps
  - Gigabit Ethernet up to 1000 Mbps
  - PCI Express x4 up to 16 Gbps
- Supports IEEE 802.3 / 802.3u / 802.3ab
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports 9k Jumbo Frames
- LED indicator for link and activity

## Package content

- OCP 3.0 card
- User manual

---

## Images



## Interface

External:	4 x Gigabit LAN RJ45 jack
Internal:	1 x OCP 3.0 4C+ connector

## Technical characteristics

Chipset:	Intel® i350
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps