

Delock PCI Express x4 Card to 2 x RJ45 Gigabit LAN PoE+ i350

Description

The PCI Express card by Delock offers **two network ports** with a data transfer rate up to **1000 Mbps**.

PoE support

The RJ45 ports support **Power over Ethernet** according to IEEE 802.3af / 802.3at, so power can be supplied to PoE-enabled devices, such as IP cameras or PoE splitters via the network cable.



Item no. 88500

EAN: 4043619885008 Country of origin: China Package: White Box

Specification

Connectors:

external: 2 x Gigabit LAN RJ45 jack with screw-nut

internal: 1 x PCI Express x4, V2.1

• Chipset: Intel i350

• Data transfer rate:

Ethernet up to 10 Mbps (Half/Full Duplex)

Fast Ethernet up to 100 Mbps (Half/Full Duplex)

Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)

PCI Express x4 up to 16 Gbps

- · Suitable for Gigabit Ethernet vision systems
- Supports IEEE 1588 PTP
- Supports IEEE 802.3 / 802.3u / 802.3ab
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports 9k Jumbo Frames
- Supports PXE
- Supports IEEE 802.3af PoE
- Supports IEEE 802.3at PoE+
- Phantom power (Mode A, pairs 1/2 and 3/6)





- Output power: max. 60 W total
- · LED indicator for link and activity

System requirements

- Windows 8.1/8.1-64/10/10-64
- PC with one free PCI Express slot

Package content

- PCI Express card
- Low profile bracket
- Driver CD
- User manual

Images









General

| Supported operating system: | Windows 10 32-Bit |
|-----------------------------|--------------------|
| | Windows 10 64-Bit |
| | Windows 8.1 32-Bit |
| | Windows 8.1 64-Bit |

Interface

| External: | 2 x Gigabit LAN RJ45 jack |
|-----------|---------------------------|
| Internal: | 1 x PCI Express x4, V2.1 |

Technical characteristics

| Chipset: | Intel® i350 |
|---------------------|---|
| Data transfer rate: | Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps |

Physical characteristics

| Slot bracket: | Low Profile |
|---------------|-------------|
| | standard |