
Delock WLAN 802.11 ac/a/b/g/n Antenna N plug 4.5 - 7.0 dBi 22 cm omnidirectional fixed outdoor white

Description

This Wireless LAN antenna can be connected to a WLAN device with N interface, in order to send and receive signals.



Item no. 88822

EAN: 4043619888221

Country of origin: Taiwan, Republic of China

Package: Retail Box

Specification

- Connector: N plug
- Frequency range:
  2.400 - 2.500 GHz
  5.150 - 5.875 GHz
- Antenna gain:
  4.5 dBi @ 2.400 - 2.500 GHz
  7.0 dBi @ 5.150 - 5.875 GHz
- Impedance: 50 Ohm
- Polarisation: linear, vertical
- VSWR: 2.0
- Operating temperature: -10 °C ~ 55 °C
- Housing material: GFRP UV resistant
- Length: ca. 220 mm
- Diameter:
  ca. 21.00 mm (top)
  ca. 21.00 mm (N)
- Maximum Transmission power: 2 W
- Maximum wind speed: 216 km/h

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

- Splash proof


System requirements


- Device with a free N jack


Package content


- WLAN antenna

Images







© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

Interface

connector:	N plug

Technical characteristics

Frequency range:	2.400 GHz - 2.500 GHz 5.150 - 5.875 GHz
Gain:	4,5 dBi @ 2.400 - 2.500 GHz 7.0 dBi @ 5.150 - 5.875 GHz
Impedance:	50 Ω
Operating temperature:	-10 °C ~ 55 °C
Polarisation:	linear vertical
Power handling:	2 W
VSWR:	2.0

Physical characteristics

Housing material:	GFRP UV resistant
Length:	220 mm
Diameter connector:	21.00 mm

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.