


Delock PCI Express x4 Card to 4 x external SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-A female Quad Channel - Low Profile Form Factor

Description

The PCI Express card by Delock expands a PC by four external USB 3.0 ports. Each port is supported by a single Renesas chip, which provides a high data transfer rate. Different USB devices such as docking stations, card reader, external enclosure etc. can be connected. Due to the vertical direction of the USB 3.0 ports, it is possible to install it into a low profile slot.



Item no. 89008

EAN: 4043619890088

Country of origin: China

Package: Box

Specification

- Connectors:
external:
4 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
internal:
1 x PCI Express x4, V2.0
1 x SATA power connector
1 x Molex 4 pin power connector
- Chipset: 4 x Renesas uPD720202
- Data transfer rate up to:
SuperSpeed 5 Gbps,
Hi-Speed 480 Mbps,
Full-Speed 12 Mbps,
Low-Speed 1.5 Mbps
- Bootable

System requirements

- Linux Kernel 3.3 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

Package content

- PCI Express card USB 3.0
- Low profile bracket
- User manual

Images



General

Form factor:	Low Profile
Function:	bootable
Supported operating system:	Linux Kernel 3.3 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

Interface

External:	4 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
Internal:	1 x PCI Express x4, V2.0 1 x 4 pin power connector 1 x SATA 15 pin power connector

Technical characteristics

Chipset:	Renesas uPD720202
Data transfer rate:	5 Gbps

Physical characteristics

Slot bracket:	Low Profile standard
---------------	-------------------------