


# Delock PCI Express x1 Card > 2 x external SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female

## Description

This PCI Express card by Delock expands the PC by two external SuperSpeed USB 5 Gbps ports. Different USB devices, such as docking stations, card readers, external enclosures etc., can be connected to the card.



**Item no. 89243**

EAN: 4043619892433

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - external:
    - 2 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
  - internal:
    - 1 x 4 pin power connector
    - 1 x PCI Express x1, V2.0
- Chipset: Renesas
- Data transfer rate up to:
  - SuperSpeed 5 Gbps,
  - Hi-Speed 480 Mbps,
  - Full-Speed 12 Mbps,
  - Low-Speed 1.5 Mbps

## System requirements


- Linux Kernel 2.6 or above

- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC with one free PCI Express slot
- Power supply with a free 4 pin power connector

## Package content

- PCI Express card USB 3.0
- Low profile bracket
- Power cable
- Driver CD
- User manual

## Images



## General

Form factor:	Low Profile
Supported operating system:	Linux Kernel 2.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

## Interface

External:	2 x USB 5 Gbps Type-A female
Internal:	1 x 4 pin power connector 1 x PCI Express x1, V2.0

## Technical characteristics

Chipset:	Renesas
----------	---------

## Physical characteristics

Slot bracket:	Low Profile standard
---------------	-------------------------

## Herstellerinformation

---

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de