


Delock PCI Express x1 Card 1 x SFP Gigabit LAN i210

Description

This PCI Express network card by Delock provides a connection for an SFP module with a transfer rate of 1000 Mbps. The SFP slot accepts an optional Gigabit SFP module by Delock to connect a PC via a fiber optic cable to the network.



Item no. 89481

EAN: 4043619894819

Country of origin: China

Package: White Box

Technical details

- Connectors:
 - internal:
 - 1 x PCI Express x1, V2.1
 - external:
 - 1 x SFP slot for 1 Gbps SFP module
- Chipset: Intel i210
- Data transfer rate:
 - Gigabit Ethernet up to 1 Gbps
 - PCI Express x1 up to 2.5 Gbps
- IEEE 802.3z compliant
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports 9k Jumbo Frames
- Supports PXE

System requirements


- Windows Server-2008/Server-2008 R2/Server-2012/Server-2012 R2/7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 2.6.x
- PC with one free PCI Express slot

- SFP module

Package content

- PCI Express card
- Low profile bracket
- Driver CD
- User manual

Images



General

Supported operating system:	Linux Kernel 2.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2008 R2 Windows Server 2012 R2 Windows Server 2012 Windows Vista 32-bit Windows Vista 64-bit
-----------------------------	--

Interface

External:	1 x 1 Gigabit LAN SFP Slot
Internal:	1 x PCI Express x1, V2.1

Technical characteristics

Chipset:	Intel® i210
Data transfer rate:	Gigabit Ethernet up to 1 Gbps

Physical characteristics

Slot bracket:	Low Profile standard
---------------	----------------------

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de