

# Delock PCI Express Card > 2 x Gigabit LAN PoE+ RJ45

## Popis

This PCI Express card by IOI offers two network ports with a data transfer rate up to 1 Gbps. The RJ45 ports support Power over Ethernet according to IEEE 802.3af / 802.3at, so you can supply power to PoE-enabled devices, such as an IP camera or a PoE splitter via the network cable.



### Číslo produktu 89560

EAN: 4043619895601

Země původu: Taiwan,  
Republic of China

Balení: White Box

## Specifikace

- IOI item number: GEPX2-PCIE1XG201L
- Connector:
  - external:
    - 2 x Gigabit LAN RJ45 jack with screw nuts
  - internal:
    - 1 x SATA 15 pin power connector
    - 1 x PCI Express x1, V2.0
- Chipset: Renesas
- Data transfer rate:
  - Ethernet up to 10 Mb/s
  - Fast Ethernet up to 100 Mb/s
  - Gigabit Ethernet up to 1 Gbps
  - PCI Express x1 up to 5 Gbps
- Supports Full Duplex flow control (IEEE 802.3x)
- Supports IEEE 802.3 10Base-T and 802.3u 100Base-TX
- Supports IEEE 802.1P Layer 2 Priority Encoding
- Supports IEEE 802.1Q VLAN tagging
- Supports IEEE 802.3az-2010 (EEE)
- Supports 9k Jumbo frames

- Supports IEEE 802.3af & IEEE 802.3at Power Sourcing Equipment (PSE)
- Power delivery: max. 30 W total
- PoE power input from PCIe or SATA 15 pin power connector

---

## Systémové požadavky

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux Kernel 2.6.31
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

---

## Obsah balení

- PCI Express card
- Low profile bracket
- Driver CD
- User manual

---

## Příslušenství



## General

|                             |                                                                                                                                                   |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Supported operating system: | Linux Kernel 2.6.31<br>Windows 10 32-bit<br>Windows 10 64-bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|

## Interface

|          |                                                   |
|----------|---------------------------------------------------|
| Externí: | 2 x RJ45 samice                                   |
| Interní: | 1 x SATA 15 pin samec<br>1 x PCI Express x1, V2.0 |

## Technical characteristics

|                       |                                                                                                                     |
|-----------------------|---------------------------------------------------------------------------------------------------------------------|
| Rychlost přenosu dat: | Ethernet up to 10 Mbps<br>Fast Ethernet up to 100 Mbps<br>Gigabit Ethernet up to 1 Gbps<br>PCI Express až do 5 Gb/s |
|-----------------------|---------------------------------------------------------------------------------------------------------------------|

## Physical characteristics

|               |                         |
|---------------|-------------------------|
| Slot bracket: | Low Profile<br>standard |
|---------------|-------------------------|