


Delock PCI Express x4 Card > 1 x internal SFF-8654 4i NVMe – Low Profile Form Factor

Description

This PCI Express card by Delock expands the PC by one SFF-8654 interface. It can be connected e.g. one SSD with U.2 interface by using an optional cable. The card transmits PCI Express signals using the NVMe protocol.



Item no. 89585

EAN: 4043619895854

Country of origin: Taiwan,
Republic of China

Package: Retail Box

Specification

- Connectors:
1 x 38 pin SFF-8654 4i female
1 x PCI Express x4, V3.0
- Data transfer rate up to 24 Gbps
- 1 x LED for attendance
- Bootable, ex UEFI version 2.3.1
- Supports NVM Express (NVMe) 1.2


System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 4.6
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

Package content

- PCI Express card
- Low profile bracket
- Mounting material
- User manual

Images



General

Function:	NVM Express (NVMe)
Supported operating system:	Linux Kernel 4.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

Interface

Connector 1:	1 x 38 pin SFF-8654 4i female
Connector 2:	1 x PCI Express x4, V3.0

Technical characteristics

Data transfer rate:	up to 24 Gbps
---------------------	---------------