


Delock PCI Express Kartica na 1 x interni USB 3.2 Gen 2 ključ B 20-pinski ženski

Opis

Ova PCI Express kartica tvrtke Delock proširuje računalo pomoću internog USB 3.2 ključa B 20-pinski ženski ulaz. Razni kabeli mogu se spojiti na karticu da bi se omogućila do dva USB Tip-A sučelja.



Predmet br. 90068

EAN: 4043619900688

Zemlja podrijetla: Taiwan,
Republic of China

Pakiranje: Retail Box

Tehnički podaci

- Priključak:
unutarjni:
1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) ključ B 20-pinski ženski
1 x SATA 15-polni kabel napajanja muški
1 x PCI Express x4, V3.0
- Skup čipova: Asmedia ASM3142
- Brzina prijenosa podataka do:
SuperSpeed USB 10 Gbps,
SuperSpeed USB 5 Gbps,
Hi-Speed 480 Mbps,
Full-Speed 12 Mbps,
Low-Speed 1,5 Mbps
- Izvor napajanja putem PCI Express sučelja ili putem SATA 15-polnog konektora napajanja
- Podržava eXtensible Host Controller Interface (xHCI) specifikacije 1.1
- Sukladno protokolu USB Attached SCSI (UASP) ver. 1.0

Preuvjeti sustava

- Linux Kernel 4.4 ili noviji
- Windows 8.1/8.1-64/10/10-64
- Računalo s jednim slobodnim PCI Express x4 / x8 / x16 / x32 utorom
- Dodatno: izvor napajanja sa slobodnim SATA priključkom za napajanje

Sadržaj pakiranja

- PCI Express kartica
- Nosač niskog profila
- Korisnički priručnik

Slike



General

Tehnički podaci:	SuperSpeed USB 10 Gbps (USB 3.2 Gen 2)
Supported operating system:	Linux Kernel 4.4 ili noviji Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit

Interface

Unutarnji:	1 x PCI Express x4, V3.0 1 x SATA 15-polni kabel napajanja muški 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) ključ B 20-pinski ženski
------------	--

Technical characteristics

Skup čipova:	Asmedia ASM3142
Brzina prijenosa podataka:	10 Gbps

Physical characteristics

Slot bracket:	low profile standard
---------------	-------------------------