

Delock PCI Express x8 Card to 8 x external USB Type-C™

Description

This PCI Express card by Delock expands the PC by eight external USB-C™ ports. Different USB devices, such as docking stations, card readers, external enclosures etc., can be connected to the card. The card has eight USB host controller chipsets that independently control each USB-C™ port.



Item no. 90308

EAN: 4043619903085

Country of origin: Taiwan,
Republic of China

Package: White Box

Specification

- IOI item number: U3X8-PCIE8XE104
- Connectors:
 - external:
 - 8 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ female
 - internal:
 - 1 x PCI Express x8, V2.0
 - 1 x SATA 15 pin power connector
 - 1 x 4 pin power connector
- Chipset: Renesas uPD720202
- Data transfer rate up to:
 - SuperSpeed 5 Gb/s,
 - Hi-Speed 480 Mb/s,
 - Full-Speed 12 Mb/s,
 - Low-Speed 1.5 Mb/s
- Electrical power per port: max. 7.5 watt (5 V / 1.5 A)
- Supports xHCI specifications V1.0
- Supports UASP
- USB ports with screw holes (M2 x 0,4)

- Screw distance: 15 mm


System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC with one free PCI Express x8 / x16 / x32 slot

Package content

- PCI Express card

Images



General

Specification:	USB Type-C™
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

Interface

External:	8 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ female
Internal:	1 x 4 pin power connector 1 x SATA 15 pin power connector 1 x PCI Express x8, V2.0

Technical characteristics

Chipset:	Renesas uPD720202
Data transfer rate:	USB 5 Gbps

Physical characteristics

Slot bracket:	standard
---------------	----------