


# Delock PCI Express x1 Card to 1 x internal USB 5 Gbps Type-E Key A and 1 x 19 pin USB pin header male - Low Profile Form Factor

## Description

This PCI Express card by Delock expands the PC by one internal **USB 5 Gbps Type-E key A female port** and one **19 pin USB pin header male**. Various cables can be connected to the card, to provide either one USB Type-C™ or one USB Type-A interface.

### Power supply via PCI Express interface

The card does **not need an additional power supply**. The power is supplied exclusively via the PCI Express interface.



**Item no. 90344**

EAN: 4043619903443

Country of origin: China

Package: Box

## Technical details

- Connectors:  
internal:  
1 x USB 5 Gbps type-E Key A female  
1 x 19 pin USB 5 Gbps pin header male  
1 x PCI Express x1, V3.0
- Chipset: VIA VL805
- Data transfer rate up to 5 Gbps
- Power supply via PCI Express interface
- Supports eXtensible Host Controller Interface (xHCI) specification 1.1
- Compliant with USB Attached SCSI Protocol (UASP) Rev. 1.0
- Bootable

## System requirements

- Linux Kernel 6.2 or above
- Windows 10/10-64/11

- PC with one free PCI Express slot


---

## Package content

- PCI Express card
- Low profile bracket
- User manual

---

## Images



## General

Form factor:	Low Profile
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 6.2 or above

## Interface

Internal:	1 x PCI Express x1, V3.0 1 x 19 pin USB 5 Gbps pin header male 1 x USB 5 Gbps type-E Key A female
-----------	---

## Technical characteristics

Chipset:	VIA VL805
Data transfer rate:	5 Gbps

## Herstellerinformation

---

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de